SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Product Name: Plastic Steel A Activator Component
- Product Part Number: MUL10112

1.2 Relevant identified uses of the substance or mixture and uses advised against

- Use of the substance/mixture: Polymer repair system

1.3 Details of the supplier of the safety data sheet

- Name of Supplier: Resimac Limited
- Address of Supplier: Unit B Park Barn Estate Station Road Topcliffe, Thirsk YO7 3SE
- Telephone: +44 (0) 1845 577498
- Responsible Person: Ryan Lockie
- Email: Info@resimac.co.uk

1.4 Emergency telephone number

- Emergency Telephone: +44 (0) 1845 577498 OPEN HOURS 9am-5pm

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

- CLP: Skin Sens. 1, Skin Corr. 1B, Muta. 2, Repr. Cat. 1B
- 2.2 Label elements



- Signal Word: Danger

Hazard statements

H341 - Suspected of causing genetic defects.

- H360F May damage fertility.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.

Precautionary statements

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

SECTION 2: Hazards identification (....)

contact lenses, if present and easy to do. Continue rinsing. P308+P313 - IF exposed or concerned: Get medical advice/attention. P201 - Obtain special instructions before use. P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

2.3 Other hazards

- Contains: 2,2'-iminodiethylamine; diethylenetriamine bisphenol A; 4,4'-isopropylidenediphenol

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical Name	CAS Number	EC Number	Concentration	Acute toxicity estimate	Specific Concentration Limits
FORMALDEHYDE POLYMER WITH PHENOL AND TETA	32610-77-8		10-20%		
2,2'-iminodiethylamine; diethylenetriamine	111-40-0	203-865-4	1-10%		
bisphenol A; 4,4'-isopropylidenediphenol	80-05-7	201-245-8	110%		
3,6-diazaoctanethylenediamin; triethylenetetramine	112-24-3	203-950-6	1-10%		
phenol; carbolic acid; monohydroxybenzene; phenylalcohol	108-95-2	203-632-7	1-10%		* Skin Corr. 1B H314: C ≥ 3 % Skin Irrit. 2 H315: 1 % ≤ C < 3 % Eye Irrit. 2 H319: 1 % ≤ C < 3 %

Chemical Name	Categories	Symbols	H Statements
FORMALDEHYDE POLYMER WITH PHENOL AND TETA			
2,2'-iminodiethylamine; diethylenetriamine	Acute Tox. 4 Skin Corr. 1B Skin Sens. 1	GHS05 GHS07	H312 H302 H314 H317
bisphenol A; 4,4'-isopropylidenediphenol	Eye Dam. 1 Skin Sens. 1 Repr. Cat. 1B STOT SE 3	GHS08 GHS05 GHS07	H360F H335 H318 H317
3,6-diazaoctanethylenediamin; triethylenetetramine	Acute Tox. 4 Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 3	GHS05 GHS07	H312 H314 H317 H412
phenol; carbolic acid; monohydroxybenzene; phenylalcohol	Acute Tox. 3 Skin Corr. 1B Muta. 2 STOT RE 2	GHS06 GHS08 GHS05	H341 H331 H311 H301 H373 H314

SECTION 4: First aid measures

SECTION 4: First aid measures (....)

4.1 Description of first aid measures

- Wash contaminated clothing before reuse.

Contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Contact with skin

IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. If skin irritation or rash occurs: Get medical advice/attention.

IF exposed or concerned: Get medical advice/attention.

Ingestion

IF SWALLOWED: Call a POISON CENTRE/doctor/ if you feel unwell. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If vomiting occurs turn patient on side When in doubt or symptoms persist, seek medical attention IF exposed or concerned: Get medical advice/attention.

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If breathing is difficult, oxygen should be given by a trained person Seek medical advice if necessary IF exposed or concerned: Get medical advice/attention.

4.2 Most important symptoms and effects, both acute and delayed

- May cause blistering of the skin
- May cause dizziness
- May cause nausea/vomiting
- May cause redness and irritation
- May cause wheeziness

4.3 Indication of any immediate medical attention and special treatment needed

- Call a POISON CENTER/doctor/physcian if symptoms continue.
- Immediately call a POISON CENTER or doctor/physician.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions
- Do not use water jets

5.2 Special hazards arising from the substance or mixture

- Smoke from fires is toxic. Take precautions to protect personnel from exposure
- Carbon oxides may be formed

5.3 Advice for firefighters

- Wear protective gloves/protective clothing/eye protection/face protection.
- Toxic fumes may be formed
- Wear Breathing Apparatus

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Do not get in eyes, on skin, or on clothing.
- Evacuate the area and keep personnel upwind
- In case of leakage, eliminate all ignition sources.
- Wear protective clothing as per section 8

6.2 Environmental precautions

- Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
- Avoid release to the environment. Refer to special instructions/Safety data sheets
- Do not allow to enter public sewers and watercourses
- If contamination of drainage systems or water courses is unavoidable, immediately inform appropriate authorities

6.3 Methods and material for containment and cleaning up

- Absorb spillage in suitable inert material
- Collect as much as possible in clean container for reuse or disposal
- Seek expert advice for removal and disposal of all contaminated materials and wastes

6.4 Reference to other sections

- See Section 8
- See Section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Forms hazardous decomposition products
- Avoid contact with skin and eyes
- Dispose of contents/container to an authorised waste collection point
- Ensure adequate ventilation
- Wash contaminated clothing before reuse.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Use personal protective equipment as required.
- Dispose of contents/container to

7.2 Conditions for safe storage, including any incompatibilities

- Store in a dry place. Store in a closed container.
- Keep container tightly closed, in a cool, well ventilated place
- Store locked up.

7.3 Specific end use(s)

- No information available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

2,2'-iminodiethylamine; diethylenetriamine

DNEL (Industry; dermal, long term systemic effects): 11.4 mg/kg/day DNEL (Industry; inhalational, long term systemic effects): 15.4 mg/m³ DNEL (Industry; dermal, long term local effects): 1.1 mg/m³ DNEL (Industry; inhalational, long term local effects): 0.87 mg/m³ DNEL (Consumer; dermal, short term systemic effects): 4.88 mg/kg/day

SECTION 8: Exposure controls/personal protection (....)

- DNEL (Consumer; inhalational, short term systemic effects): 27.5 mg/m³
- DNEL (Consumer; dermal, long term systemic effects): 4.88 mg/kg/day
- DNEL (Consumer; inhalational, long term systemic effects): 4.6 mg/m³

8.2 Exposure controls



- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Use personal protective equipment as required.
- In poorly ventilated areas or confined spaces, use an airline respirator or self-contained breathing apparatus
- Wear suitable gloves: Chemical resistant, impervious gloves such as Nitrile, Neoprene and PVC complying with European Standard EN374
- Wear protective gloves/protective clothing/eye protection/face protection.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Physical state: Solid
- Colour: Pale grey
- Odour: Ammonia odour
- Melting point/Range: Not applicable
- Boiling Point/Range: Not available
- Flammability: Not flammable
- pH: Not applicable
- Solubility in water: Not applicable
- Density: 1.70

9.2 Other information

- No information available

SECTION 10: Stability and reactivity

10.1 Reactivity

- Considered stable under normal conditions

10.2 Chemical stability

- Considered stable under normal conditions

10.3 Possibility of hazardous reactions

- No hazardous reactions known if used for its intended purpose

10.4 Conditions to avoid

- Keep away from heat

10.5 Incompatible materials

- Avoid contact with acids and alkalis
- Keep away from strong oxidizing substances

SECTION 10: Stability and reactivity (....)

10.6 Hazardous decomposition products

- Decomposition products may include toxic fumes

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Chemical Name	LD₅₀ (oral, rat)	LD₅₀ (dermal, rabbit)	LC₅₀ (inhalation, rat)
2,2'-iminodiethylamine; diethylenetriamine	1,620 mg/kg	1,045 mg/kg	0.07 dust/mist mgl
bisphenol A; 4,4'-isopropylidenediphenol	3,250 mg/kg	3,000 mg/kg	>5 mg/l/4h

Substances

Skin corrosion/irritation

Causes redness and irritation Causes allergic reaction in susceptible people

Serious eye damage/irritation

Can cause damage to the eyes May cause burning sensation Prolonged skin or eye contact may cause chemical burns

Respiratory or skin sensitisation

May cause shortness of breath

Germ cell mutagenicity

No experimental data available

Carcinogenicity

No experimental data available

Reproductive toxicity

No experimental data available

STOT (specific target organ toxicity) - single exposure

No experimental data available

STOT (specific target organ toxicity) - repeated exposure

No experimental data available

Aspiration hazard

No experimental data available

11.2 Information on other hazards

- No information available

SECTION 12: Ecological information

12.1 Toxicity

Substances

Chemical Name	IC₅₀ (algae)	EC₅₀ (daphnia)	LC₅₀ (fish)
2,2'-iminodiethylamine; diethylenetriamine	1164 mg/l (72 hr)	16 mg/l (48 hr)	430 mg/l (96 hr)
bisphenol A;		10.2 mg/l (48 hr)	
4,4'-isopropylidenediphenol			

12.2 Persistence and degradability

- Biodegradable

12.3 Bioaccumulative potential

- Bioaccumulation is insignificant

12.4 Mobility in soil

- This substance will leach into the soil

12.5 Results of PBT and vPvB assessment

- Not a PBT according to REACH Annex XIII

12.6 Endocrine disrupting properties

- No information available

12.7 Other adverse effects

- No information available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Dispose of container to a hazardous or special waste collection point

SECTION 14: Transport information

14.1 UN number or ID number

- UN No.: 1759

14.2 UN proper shipping name

- Proper Shipping Name: CORROSIVE SOLID, N.O.S.
- Proper Shipping Name: Bisphenol A; 4,4'-isopropylidenediphenol

14.3 Transport hazard class(es)

- Hazard Class: 8

14.4 Packing group

- Packing Group: III

14.5 Environmental hazards

- On available data, substance is not harmful to the environment

14.6 Special precautions for user

SECTION 14: Transport information (....)

- Tunnel Code: E

14.7 Maritime transport in bulk according to IMO instruments

- Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Substance of very high concern (SVHC

Chemical Name	CAS Number	Listed In	Notes
bisphenol A; 4,4'-isopropylidenediphenol	80-05-7	2017	Toxic for reproduction Endocrine distrupting properties (environment) Endocrine disrupting properties (human health)

- Water Hazard Class (Company): 2

Substances

Chemical Name	Water Hazard Class (Official)
FORMALDEHYDE POLYMER WITH PHENOL AND TETA	Not hazardous
3,6-diazaoctanethylenediamin; triethylenetetramine	2
phenol; carbolic acid; monohydroxybenzene; phenylalcohol	2
2,2'-iminodiethylamine; diethylenetriamine	2
bisphenol A; 4,4'-isopropylidenediphenol	2

15.2 Chemical safety assessment

SECTION 16: Other information

Text not given with phrase codes where they are used elsewhere in this safety data sheet:-H301: Toxic if swallowed. H302: Harmful if swallowed. H311: Toxic in contact with skin. H312: Harmful in contact with skin. H314: Causes severe skin burns and eye damage. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H331: Toxic if inhaled. H335: May cause respiratory irritation. H341: Suspected of causing genetic defects. H360F: May damage fertility. H373: May cause damage to organs through prolonged or repeated exposure. H412: Harmful to aquatic life with long lasting effects.

Legal Disclaimer

 The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product
 --- end of safety datasheet ---